

PROflag
BRAND OF STUDIO55



PRO FLAG & EVENT SYSTEMS

DE Aufblasbare Werbeträger

PL Flagi i systemy
wystawiennicze




Types of Beachflags

Outdoor

Indoor

BF



BF



available options


available options




FAB




FAB




SQUARE



SQUARE



Available beachflag variations:




		BF ALU PREMIUM 2.2	code: BFAP2.2(45x175)
		Available tube diameter:	<input checked="" type="radio"/> 20 <input type="radio"/> X <input type="radio"/> X <input type="radio"/> X
		System height	220cm
		Flag size	45x175cm

		BF ALU PREMIUM 2.9	code: BFAP2.9(70x220)
		Available tube diameter:	<input checked="" type="radio"/> 20 <input checked="" type="radio"/> 25 <input type="radio"/> X <input type="radio"/> X
		System height	290cm
		Flag size	70x220cm

		BF ALU PREMIUM 3.4	code: BFAP3.4(70x265)
		Available tube diameter:	<input checked="" type="radio"/> 20 <input checked="" type="radio"/> 25 <input type="radio"/> X <input type="radio"/> X
		System height	340cm
		Flag size	70x265cm





BF ALU PREMIUM 4.2 code: BFAP4.2(70x350)

Available tube diameter: 20 25 30 X

System height	420cm
Flag size	70x350cm



BF ALU PREMIUM 5.1 code: BFAP5.1(70x420)

Available tube diameter: X 25 30 X

System height	510cm
Flag size	70x420cm



BF ALU PREMIUM 4.2 code: BFAP4.2(95x350)

Available tube diameter: 20 25 30 X


System height	420cm
Flag size	95x350cm



BF ALU PREMIUM 5.1 code: BFAP5.1(95x420)

Available tube diameter: X 25 30 X


System height	510cm
Flag size	95x420cm



BF ALU PREMIUM 4.5 code: BFAP4.5(70x356)

Available tube diameter: X 25 30 X

System height	450cm
Flag size	70x356cm



BF ALU PREMIUM 5.8 code: BFAP5.8(95x470)

Available tube diameter: X X 30 40

System height	580cm
Flag size	95x470cm



BF ALU PREMIUM 4.5 code: BFAP4.5(95x356)

Available tube diameter: X 25 30 X


System height	450cm
Flag size	95x356cm



BF ALU PREMIUM 6.7 code: BFAP6.7(95x530)

Available tube diameter: X X X 40


System height	670cm
Flag size	95x530cm



FAB ALU PREMIUM 2.8 code: FABAP2.8(100x230)

Available tube diameter: 25


System height	280cm
Flag size	100x230cm



FAB ALU PREMIUM 3.6 code: FABAP3.6(100x300)

Available tube diameter: 25

System height	360cm
Flag size	100x300cm



FAB ALU PREMIUM 4.3 code: FABAP4.3(100x360)

Available tube diameter: 25

System height	430cm
Flag size	100x360cm



FAB ALU PREMIUM 4.9 code: FABAP4.9(125x410)


Available tube diameter: 25


System height	490cm
Flag size	125x410cm




	<p>SQ ALU PREMIUM 2.25</p> <p>code: SQAP2.25(50x175)</p>	Available tube diameter: 20 <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		<table border="1"> <tr> <td>System height</td> <td>225cm</td> </tr> <tr> <td>Flag size</td> <td>50x175cm</td> </tr> </table>	System height	225cm
System height	225cm			
Flag size	50x175cm			


	<p>SQ ALU PREMIUM 2.5</p> <p>code: SQAP2.5(65x195)</p>	Available tube diameter: 20 <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		<table border="1"> <tr> <td>System height</td> <td>250cm</td> </tr> <tr> <td>Flag size</td> <td>65x195cm</td> </tr> </table>	System height	250cm
System height	250cm			
Flag size	65x195cm			


	<p>SQ ALU PREMIUM 3.1</p> <p>code: SQAP3.1(65x240)</p>	Available tube diameter: 20 <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		<table border="1"> <tr> <td>System height</td> <td>310cm</td> </tr> <tr> <td>Flag size</td> <td>65x240cm</td> </tr> </table>	System height	310cm
System height	310cm			
Flag size	65x240cm			

	<p>SQ ALU PREMIUM 4.5</p> <p>code: SQAP4.5(65x360)</p>	Available tube diameter: 20 25 <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		<table border="1"> <tr> <td>System height</td> <td>450cm</td> </tr> <tr> <td>Flag size</td> <td>65x360cm</td> </tr> </table>	System height	450cm
System height	450cm			
Flag size	65x360cm			




 <p>90 x 360</p> <p>4.5</p>	SQ ALU PREMIUM 4.5		code: SQAP4.5(90x360)
	Available tube diameter: <input type="radio"/> X <input checked="" type="radio"/> 25 <input checked="" type="radio"/> 30 <input type="radio"/> X		
	System height	450cm	
	Flag size	90x360cm	

 <p>90 x 420</p> <p>5.1</p>	SQ ALU PREMIUM 5.1		code: SQAP5.1(90x420)
	Available tube diameter: <input type="radio"/> X <input checked="" type="radio"/> 25 <input checked="" type="radio"/> 30 <input type="radio"/> X		
	System height	510cm	
	Flag size	90x420cm	

 <p>90 x 510</p> <p>5.8</p>	SQ ALU PREMIUM 5.8		code: SQAP5.8(90x510)
	Available tube diameter: <input type="radio"/> X <input type="radio"/> X <input checked="" type="radio"/> 30 <input checked="" type="radio"/> 40		
	System height	580cm	
	Flag size	90x510cm	





BF INDOOR 1.85		code: BFI1.85(45x140)
System height		185cm
Flag size		45x140cm

Indoor flag system incl. metal plate system.



BF INDOOR 2.25		code: BFI2.25(45x175)
System height		225cm
Flag size		45x175cm

Indoor flag system incl. metal plate system.



FAB INDOOR 1.8		code: FABI1.8(65x150)
System height		180cm
Flag size		65x150cm

Indoor flag system incl. metal plate system.



SQ INDOOR 2.25		code: SQI2.25(45x175)
System height		225cm
Flag size		45x175cm

Indoor flag system incl. metal plate system.



<p>1 Steel peg 60cm</p>  <ul style="list-style-type: none"> • Code: PWS-60-1 • Length: 60 cm • Weight: 1.2 kg • Recommended mast heights: 220 - 450 cm • Suitables for mast diameter: 20 25 30 X 	<p>2 Steel peg with rotator 60cm</p>  <ul style="list-style-type: none"> • Code: PWSR-60-1 • Length: 60 cm • Weight: 1.5 kg • Recommended mast heights: 220 - 450 cm • Suitables for mast diameter: 20 25 30 X 	<p>3 Steel peg with rotator 90cm</p>  <ul style="list-style-type: none"> • Code: PWSR-90-1 • Length: 90 cm • Weight: 2.7 kg • Recommended mast heights: 420 - 670 cm • Suitables for mast diameter: X 25 30 40 	<p>4 Plastic peg</p>  <ul style="list-style-type: none"> • Code: PW-1 • Length: 42 cm • Weight: 0.4 kg • Recommended mast heights: 220 - 420 cm • Suitables for mast diameter: 20 25 X X
<p>5 Cross-feet light</p>  <ul style="list-style-type: none"> • Code: PKL-1 • Size: 80 x 60 cm • Weight: 2 kg • Recommended mast heights: 220 - 400 cm • Suitables for mast diameter: 20 25 X X 	<p>6 Cross-feet 80x60 cm</p>  <ul style="list-style-type: none"> • Code: PKS-80x60-1 • Size: 80 x 60 cm • Weight: 3.9 kg • Recommended mast heights: 300 - 420 cm • Suitables for mast diameter: 20 25 30 X 	<p>7 Cross-feet with rotator 80x60cm</p>  <ul style="list-style-type: none"> • Code: PKSR-80x60-1 • Size: 80 x 60 cm • Weight: 4.2 kg • Recommended mast heights: 300 - 420 cm • Suitables for mast diameter: 20 25 30 X 	<p>8 Cross-feet 100x80cm</p>  <ul style="list-style-type: none"> • Code: PKS-100x80 • Size: 100 x 80 cm • Weight: 6.2 kg • Recommended mast heights: 300 - 500 cm • Suitables for mast diameter: 20 25 30 X
<p>9 Cross-feet with rotator 100x80cm</p>  <ul style="list-style-type: none"> • Code: PKSR-100x80-1 • Size: 100 x 80 cm • Weight: 6.6 kg • Recommended mast heights: 300 - 500 cm • Suitables for mast diameter: 20 25 30 X 	<p>10 Steelbase with rotator 10kg</p>  <ul style="list-style-type: none"> • Code: PSR-10-1 • Size: 28 x 21 cm • Weight: 10 kg • Recommended mast heights: 220 - 350 cm • Suitables for mast diameter: 20 25 X X 	<p>11 Ballast 10kg for base 10</p>  <ul style="list-style-type: none"> • Code: PSR-10-1-0 • Size: 28 x 21 cm • Weight: 10 kg 	<p>12 Fillable plastic base BASIC</p>  <ul style="list-style-type: none"> • Code: PNP-10-1 • Size: 38 x 38 cm • Weight: 10 kg • Recommended mast heights: 220 - 350 cm • Suitables for mast diameter: X 25 X X

13 Steelplate with rotator 6kg



- Code: PSR-6-1
- Size: 36x36cm
- Weight: 6kg
- Recommended mast heights: 220 - 350 cm
- Suitable for mast diameter:

20 25 X X

14 Steelplate with rotator 15kg



- Code: PSR-15-1
- Size: 50x50cm
- Weight: 15 kg
- Recommended mast heights: 300 - 420 cm
- Suitable for mast diameter:

20 25 30 X

15 Steelplate with rotator 20kg



- Code: PSR-20-1
- Size: 50x50cm
- Weight: 20 kg
- Recommended mast heights: 350 - 510 cm
- Suitable for mast diameter:

X 25 30 X

16 Steelplate with rotator 25kg



- Code: PSR-25-1
- Size: 50x50cm
- Weight: 25 kg
- Recommended mast heights: 350 - 580 cm
- Suitable for mast diameter:

X 25 30 X

17 Fillable plastic base PREMIUM



- Code: PNPP-17/25-1
- Size: 39x39cm
- Weight: sand/water 17/25kg
- Recommended mast heights: 220 - 420 cm
- Suitable for mast diameter:

20 25 30 X

18 Fillable plastic base with castors PREMIUM



- Code: PNPPK-24/38-1
- Length: 60cm
- Weight: sand/water 24/38kg
- Recommended mast heights: 300 - 450 cm
- Suitable for mast diameter:

20 25 30 X

19 Concretebase PREMIUM



- Code: PBP-25-1
- Diameter: Ø46 cm
- Weight: 25kg
- Recommended mast heights: 350 - 500 cm
- Suitable for mast diameter:

20 25 30 X

20 Concretebase with covered PVC PREMIUM



- Code: PBOP-15-1
- Diameter: Ø36 cm
- Weight: 15 kg
- Recommended mast heights: 300 - 420 cm
- Suitable for mast diameter:

20 25 30 X

21 Plastic covered concretebase PREMIUM



- Code: PBOP-25-1
- Diameter: Ø42 cm
- Weight: 25 kg
- Recommended mast heights: 350 - 500 cm
- Suitable for mast diameter:

20 25 30 X

22 Plastic covered concretebase PREMIUM



- Code: PBAOP-30-1
- Diameter: Ø50 cm
- Weight: 30 kg
- Recommended mast heights: 400 - 580 cm
- Suitable for mast diameter:

X X 30 40

23 Plastic covered concrete/alu base with castors



- Code: PBAOPPK-28-1
- Size: 42,5 x 46,5cm
- Weight: 28 kg
- Recommended mast heights: 350 - 500 cm
- Suitable for mast diameter:

20 25 30 X

24 Plastic covered concrete/alu base with castors PREMIUM



- Code: PBAOPPK-38-1
- Diameter: Ø60 cm
- Weight: 38 kg
- Recommended mast heights: 400 - 580 cm
- Suitable for mast diameter:

X X 30 40

25 Steel/concrete base PREMIUM



- Code: **PBSP-60-1**
- Diameter: **Ø60 cm**
- Weight: **60 kg**
- Recommended mast heights: **510 - 670 cm**
- Suitable for mast diameter:
 - ⊗
 - ⊗
 - 30
 - 40

26 Rollover base



- Code: **PKR-1**
- Size: **60 x 15 cm**
- Weight: **2.7 kg**
- Recommended mast heights: **220 - 400 cm**
- Suitable for mast diameter:
 - 20
 - 25
 - ⊗
 - ⊗

1 Water fillable weight bag - 20kg



- Code: **OW-20-1**
- Weight: **20 kg**
- Recommended to the base:
 - 5

2 Sand fillable weight bag - 6kg



- Code: **OBS-6-1**
- Weight: **6 kg**
- Recommended to the base:
 - 5
 - 6
 - 7
 - 8
 - 9
 - 14
 - 15
 - 16

3 Sand fillable weight bag - 10kg



- Code: **OBS-10-1**
- Weight: **10 kg**
- Recommended to the base:
 - 5
 - 6
 - 7
 - 8
 - 9
 - 14
 - 15
 - 16



Studio55 Sp. z o.o. (Sales Poland)

ul. Górczewska 181L / 205
01-459 Warszawa
Tel. +48 22 392 92 33
email: studio55@studio55.info

Studio55 Sp. z o.o. (Main factory, Poland)

Głędowo 3H
77-300 Cztuchów
Tel. +48 59 834 56 78
Fax +48 59 834 33 96
email: factory@studio55.info



Studio55 International Gbr (Sales Germany & International)

Sandkuhle 5, 25873 Rantrum
Tel. +49 (0) 4848/901220-0
Fax +49 (0) 4848/901220-30
email: info@studio55international.de